

Config.txt

Parameter List

(AXIS 5570e Network Print Server V7.06 Nov 4 2005. S/N: 00408C6B7001)

Parameter settings:

--- General Menu

NODE\_ADDR. : 00 40 8C 6B 70 01  
NETWORK\_SPEED. : AUTO\_SENSE (AUTO\_SENSE, 10\_HALF\_DX, 10\_FULL\_DX, 100\_HALF\_DX, 100\_FULL\_DX)  
PS\_NAME. : AXIS6B7001  
ROOT\_PWD. : pass  
SWUP\_KEY. :  
USERS. :  
BASE\_URL. : www.axis.com  
CHARSET. : ISO-8859-1 (ISO-8859-1, UTF-8)  
AXIS\_PRINT\_SYSTEM. : YES  
RCONFIG\_ENB. : YES  
HPPI. : NO (YES, NO)  
DEF\_OUT. : PR1 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
SYS\_LOC. :  
SYS\_CONT. :

--- SNA Menu

SNA\_ENB. : NO  
DEVICE\_EMUL. : 3174 (3174, 5494)  
SNA\_FR\_TYPE. : FR\_802\_2 (FR\_AUTO, FR\_802\_2, FR\_DIX)  
NODE\_ID. : E0 7B 70 01  
NODE\_SAP. : \$4  
NWORK\_NAME. : APPN  
LU\_NAME. : A1007B6C  
H1\_SAP. : \$4  
H1\_ADDR. : FF FF FF FF FF FF  
H1\_NW\_NAME. : APPN  
H1\_MOD\_NAME. : QRMTWSC  
H1\_LU\_NAME. : DEFAULT  
SNA\_LU1. : NONE, 1  
SNA\_LU2. : NONE, 2  
SNA\_LU3. : NONE, 3  
SNA\_LU4. : NONE, 4  
SNA\_LU5. : NONE, 5  
SNA\_LU6. : NONE, 6  
SNA\_LU7. : NONE, 7  
SNA\_LU8. : NONE, 8  
AUTODIAL. : NO  
DIALTIME. : 20  
JOB\_TIME. : 10  
IR\_TIME. : 0  
SNA\_HEXDUMP. : NONE (NONE, PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)

--- LLC Menu

LLC\_RESPONSE. : 1300  
LLC\_REC\_ACK. : 20  
LLC\_INACTIVITY. : 15

--- TN3270E

TN3270E\_IR. : 0  
TN3270E\_COMP. : NO  
TN3270E\_1. : OFF, 0 0 0 0, 23, PR1, 1, AXPR1  
TN3270E\_2. : OFF, 0 0 0 0, 23, PR2, 2, AXPR2  
TN3270E\_3. : OFF, 0 0 0 0, 23, PR3, 3, AXPR3  
TN3270E\_4. : OFF, 0 0 0 0, 23, PR4, 4, AXPR4  
TN3270E\_5. : OFF, 0 0 0 0, 23, PR5, 5, AXPR5  
TN3270E\_6. : OFF, 0 0 0 0, 23, PR6, 6, AXPR6  
TN3270E\_7. : OFF, 0 0 0 0, 23, PR7, 7, AXPR7  
TN3270E\_8. : OFF, 0 0 0 0, 23, PR8, 8, AXPR8

Config.txt

```

--- TN5250E
TN5250E_KA. : YES
TN5250E_1. : OFF, 0 0 0 0, 23, PR1, 1, AXPR1, QSYSOPR, QSYS
TN5250E_2. : OFF, 0 0 0 0, 23, PR2, 2, AXPR2, QSYSOPR, QSYS
TN5250E_3. : OFF, 0 0 0 0, 23, PR3, 3, AXPR3, QSYSOPR, QSYS
TN5250E_4. : OFF, 0 0 0 0, 23, PR4, 4, AXPR4, QSYSOPR, QSYS
TN5250E_5. : OFF, 0 0 0 0, 23, PR5, 5, AXPR5, QSYSOPR, QSYS
TN5250E_6. : OFF, 0 0 0 0, 23, PR6, 6, AXPR6, QSYSOPR, QSYS
TN5250E_7. : OFF, 0 0 0 0, 23, PR7, 7, AXPR7, QSYSOPR, QSYS
TN5250E_8. : OFF, 0 0 0 0, 23, PR8, 8, AXPR8, QSYSOPR, QSYS

```

--- TCP/IP Network Menu

```

INT_ADDR. : 192 168 1 98
DEF_ROUT. : 192 168 1 2
NET_MASK. : 255 255 255 0
HTTPS_ENB. : NO
DHCP_ENB. : NO
AUTOIP_ENB. : NO
BOOTP_ENB. : NO
RARP_ENB. : NO
WINS_ENB. : YES
WINS_ADDR1. : 0 0 0 0
WINS_ADDR2. : 0 0 0 0
NBT_SCOPE_ID. :
DNS_ENB. : YES
DNS_ADDR1. : 0 0 0 0
DNS_ADDR2. : 0 0 0 0
DOMAIN_NAME. :
SLP_ENB. : YES
SLP_SCOPE_LIST. : DEFAULT
BONJOUR_ENB. : YES
BONJOUR_SRVNAME_LPT1. :
BONJOUR_SRVNAME_USB1. :
SMTP_SERVER. :
FTP_ENB. : YES
TELNET_ENB. : YES
DEF_IP_FRAME_TYPE. : EthernetII (EthernetII, SNAP)

```

--- TCP/IP Printing Menu

```

TCP_ENB. : YES
PAR_TCP_RESTRICT_LIST. :
PROS_PWD. : netprinter
PROS_PRT. : 35
LPD_BANN. : OFF (OFF, AUTO, LAST)
DEFAULT_RAW_TCP. : 9100-9101 (9100-9101, CLOSED)
RTN_OPT. : NO
PPR_PRSTAT. : NO
RTN_PR1. : 5001, IPDS, 1
RTN_PR2. : 0, ASCII, 2
RTN_PR3. : 0, ASCII, 3
RTN_PR4. : 5011, SCS, 4
RTN_PR5. : 5012, SCS, 5
RTN_PR6. : 5013, SCS, 6
RTN_PR7. : 0, ASCII, 7
RTN_PR8. : 0, ASCII, 8

```

--- SNMP Menu

```

SNMP_V1_ENB. : YES
SNMP_V2_ENB. : YES
READ_COM. : public
WRT_COM. : pass
TRAPADDR. : 0 0 0 0
TRAP_COM. : public
SYS_NAME. :
SNMP_AUT. : DISABLE (DISABLE, ENABLE)
TRAP_PRT. : DISABLE (DISABLE, ENABLE)

```

--- SNMPv3 Menu

```

SNMP_V3_ENB. : NO

```

Config.txt

--- NetWare Menu

NETW\_ENB. : NO  
NETW\_TRANSPORT\_PROTOCOL. : DUAL\_STACK (IPX\_ONLY, IP\_ONLY, DUAL\_STACK)  
NDPS. : TCP\_AND\_SPX (TCP\_AND\_SPX, TCP\_ONLY, SPX\_ONLY, DISABLED)  
JOB\_CHECK\_DELAY. : 5  
CONF\_CHECK\_DELAY. : 300  
FR\_802\_3. : YES  
FR\_ETH\_2. : YES  
FR\_802\_2. : YES  
FR\_SNAP. : YES  
NCP\_BURST\_MODE. : YES  
PSERVER\_NDS\_TREE. :  
PSERVER\_NDS\_FILESERVER. :  
PSERVER\_NDS\_DISTINGUISHED\_NAME. :  
PSERVER\_BINDERY1. :  
PSERVER\_BINDERY2. :  
PSERVER\_BINDERY3. :  
PSERVER\_BINDERY4. :  
PSERVER\_BINDERY5. :  
PSERVER\_BINDERY6. :  
PSERVER\_BINDERY7. :  
PSERVER\_BINDERY8. :  
PSERVER\_BINDERY9. :  
PSERVER\_BINDERY10. :  
PSERVER\_BINDERY11. :  
PSERVER\_BINDERY12. :  
PSERVER\_BINDERY13. :  
PSERVER\_BINDERY14. :  
PSERVER\_BINDERY15. :  
PSERVER\_BINDERY16. :  
NPRINTER1. :  
NPRINTER2. :  
NPRINTER3. :  
NPRINTER4. :  
NPRINTER5. :  
NPRINTER6. :  
NPRINTER7. :  
NPRINTER8. :

--- NetBIOS/NetBEUI Menu

LSLM\_ENB. : NO  
NB\_FR\_TYPE. : FR\_802\_2 (FR\_AUTO, FR\_802\_2, FR\_DIX)  
LPRINT\_1. : AX6B7001.LP1  
LLOGIC\_1. : PR1 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_2. : AX6B7001.US1  
LLOGIC\_2. : PR2 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_3. :  
LLOGIC\_3. : PR3 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_4. :  
LLOGIC\_4. : PR4 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_5. :  
LLOGIC\_5. : PR5 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_6. :  
LLOGIC\_6. : PR6 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_7. :  
LLOGIC\_7. : PR7 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
LPRINT\_8. :  
LLOGIC\_8. : PR8 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)

--- AppleTalk Menu

ATLK\_ENB. : NO  
ATK\_ZONE. :  
ZONER\_EN. : YES  
ATK\_FONT. : DEFAULT (DEFAULT, 35N, ALL)  
AUTO\_DT\_PRINT1. : YES  
APRINT\_1. : AXIS6B7001\_LPT1  
ATYPE\_1. : LaserWriter  
ALOGIC\_1. : PR1 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)

Config.txt

BINARY\_TYPE\_1. : TBCP (TBCP, BCP, NONE)  
 AUTO\_DT\_PRINT2. : YES  
 APRINT\_2. : AXIS6B7001\_USB1  
 ATYPE\_2. : LaserWriter  
 ALOGIC\_2. : PR2 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, LPT1, USB1)  
 BINARY\_TYPE\_2. : TBCP (TBCP, BCP, NONE)

--- Printer1 Menu

PR1\_OUT. : USB1 (NONE, LPT1, USB1)  
 PR1\_NAME. :  
 PR1\_SCND. : PR1 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)  
 PR1\_WAIT. : YES  
 PR1\_IN. : AUTO (AUTO, NONE)  
 PR1\_BEF. :  
 PR1\_STR. :  
 PR1\_CSET. : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,  
 7ND>IBM, DEC>IBM)  
 PR1\_FILT. : NONE (NONE, POSTSCR, AUTO\_PS)  
 PR1\_AFT. :  
 PR1\_DUMP. : NO  
 PR1\_SIZE. : A4 (A4, LETTER, LEGAL, EXECUT)  
 PR1\_ORNT. : PORTR (PORTR, LANDS, R\_PORTR, R\_LANDS)  
 PR1\_FORM. : 66 0 100 60 30 50  
 PR1\_FONT. :  
 PR1\_DC\_MOD. : NONE (NONE, Canon\_GP335, Canon\_GP605, Canon\_IR3300,  
 Gestetner\_3235, Gestetner\_3245, Gestetner\_3255, Gestetner\_3265, Gestetner\_P7032,  
 HP\_LaserJet\_5Si, Konica\_Minolta\_Pi3502, Konica\_Minolta\_Pi3505e,  
 Konica\_Minolta\_Pi4700e, Konica\_Minolta\_Pi5500, Konica\_Minolta\_Pi5501,  
 Konica\_Minolta\_Pi6500e, Konica\_Minolta\_Pi7200e, Konica\_Minolta\_Pi7500,  
 Konica\_Minolta\_CF2001, Ricoh\_Aficio\_220, Ricoh\_Aficio\_270, Ricoh\_Aficio\_350,  
 Ricoh\_Aficio\_450, Ricoh\_Aficio\_550, Ricoh\_Aficio\_650, Ricoh\_Aficio\_AP4500,  
 Ricoh\_Aficio\_AP3200, Savin\_9935DP, Savin\_9945DP, Savin\_9955DP, Savin\_9965DP,  
 Sharp\_AR286\_FN1, Sharp\_AR336\_FN1, Sharp\_AR405\_FN1, Sharp\_AR505\_FN1,  
 Sharp\_AR286\_FN2, Sharp\_AR336\_FN2, Sharp\_AR405\_FN2, Sharp\_AR505\_FN2,  
 Toshiba\_DP\_4580, Toshiba\_DP\_5570, Toshiba\_DP\_6570, Toshiba\_DP\_8070,  
 Toshiba\_eSTUDI035, Toshiba\_eSTUDI045, Toshiba\_eSTUDI055, Toshiba\_eSTUDI065,  
 Toshiba\_eSTUDI080, Custom\_copier\_driver)  
 PR1\_DC\_DUP. : OFF (OFF, SIMPLEX, LONG\_EDGE\_BINDING, SHORT\_EDGE\_BINDING)  
 PR1\_DC\_STAP. : OFF (OFF, TOP\_LEFT\_SLANT, TOP\_LEFT\_HORIZONTAL,  
 TOP\_LEFT\_VERTICAL, TOP\_RIGHT, BOTTOM\_LEFT, BOTTOM\_RIGHT, TOP\_DOUBLE,  
 LEFT\_DOUBLE, CENTER)  
 PR1\_DC\_HOLE. : OFF (OFF, LONG\_EDGE, SHORT\_EDGE)  
 PR1\_DC\_FOLD. : OFF (OFF, HALF\_FOLD, Z\_FOLD)  
 PR1\_DC\_TRAY. : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)  
 PR1\_DC\_COP. : 1

--- Printer2 Menu

PR2\_OUT. : USB1 (NONE, LPT1, USB1)  
 PR2\_NAME. :  
 PR2\_SCND. : PR2 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)  
 PR2\_WAIT. : YES  
 PR2\_IN. : AUTO (AUTO, NONE)  
 PR2\_BEF. :  
 PR2\_STR. :  
 PR2\_CSET. : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,  
 7ND>IBM, DEC>IBM)  
 PR2\_FILT. : NONE (NONE, POSTSCR, AUTO\_PS)  
 PR2\_AFT. :  
 PR2\_DUMP. : NO  
 PR2\_SIZE. : A4 (A4, LETTER, LEGAL, EXECUT)  
 PR2\_ORNT. : PORTR (PORTR, LANDS, R\_PORTR, R\_LANDS)  
 PR2\_FORM. : 66 0 100 60 30 50  
 PR2\_FONT. :  
 PR2\_DC\_MOD. : NONE (NONE, Canon\_GP335, Canon\_GP605, Canon\_IR3300,  
 Gestetner\_3235, Gestetner\_3245, Gestetner\_3255, Gestetner\_3265, Gestetner\_P7032,  
 HP\_LaserJet\_5Si, Konica\_Minolta\_Pi3502, Konica\_Minolta\_Pi3505e,  
 Konica\_Minolta\_Pi4700e, Konica\_Minolta\_Pi5500, Konica\_Minolta\_Pi5501,  
 Konica\_Minolta\_Pi6500e, Konica\_Minolta\_Pi7200e, Konica\_Minolta\_Pi7500,  
 Konica\_Minolta\_CF2001, Ricoh\_Aficio\_220, Ricoh\_Aficio\_270, Ricoh\_Aficio\_350,

Config.txt

Ri coh\_Afi cio\_450, Ri coh\_Afi cio\_550, Ri coh\_Afi cio\_650, Ri coh\_Afi cio\_AP4500,  
Ri coh\_Afi cio\_AP3200, Savin\_9935DP, Savin\_9945DP, Savin\_9955DP, Savin\_9965DP,  
Sharp\_AR286\_FN1, Sharp\_AR336\_FN1, Sharp\_AR405\_FN1, Sharp\_AR505\_FN1,  
Sharp\_AR286\_FN2, Sharp\_AR336\_FN2, Sharp\_AR405\_FN2, Sharp\_AR505\_FN2,  
Toshi ba\_DP\_4580, Toshi ba\_DP\_5570, Toshi ba\_DP\_6570, Toshi ba\_DP\_8070,  
Toshi ba\_eSTUDI035, Toshi ba\_eSTUDI045, Toshi ba\_eSTUDI055, Toshi ba\_eSTUDI065,  
Toshi ba\_eSTUDI080, Custom\_copier\_driver)  
PR2\_DC\_DUP. : OFF (OFF, SIMPLEX, LONG\_EDGE\_BINDING, SHORT\_EDGE\_BINDING)  
PR2\_DC\_STAP. : OFF (OFF, TOP\_LEFT\_SLANT, TOP\_LEFT\_HORIZONTAL,  
TOP\_LEFT\_VERTICAL, TOP\_RIGHT, BOTTOM\_LEFT, BOTTOM\_RIGHT, TOP\_DOUBLE,  
LEFT\_DOUBLE, CENTER)  
PR2\_DC\_HOLE. : OFF (OFF, LONG\_EDGE, SHORT\_EDGE)  
PR2\_DC\_FOLD. : OFF (OFF, HALF\_FOLD, Z\_FOLD)  
PR2\_DC\_TRAY. : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)  
PR2\_DC\_COP. : 1

--- Printer3 Menu

PR3\_OUT. : LPT1 (NONE, LPT1, USB1)  
PR3\_NAME. :  
PR3\_SCND. : PR3 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)  
PR3\_WAIT. : YES  
PR3\_IN. : AUTO (AUTO, NONE)  
PR3\_BEF. :  
PR3\_STR. :  
PR3\_CSET. : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,  
7ND>IBM, DEC>IBM)  
PR3\_FILT. : NONE (NONE, POSTSCR, AUTO\_PS)  
PR3\_AFT. :  
PR3\_DUMP. : NO  
PR3\_SIZE. : A4 (A4, LETTER, LEGAL, EXECUT)  
PR3\_ORNT. : PORTR (PORTR, LANDS, R\_PORTR, R\_LANDS)  
PR3\_FORM. : 66 0 100 60 30 50  
PR3\_FONT. :  
PR3\_DC\_MOD. : NONE (NONE, Canon\_GP335, Canon\_GP605, Canon\_IR3300,  
Gestetner\_3235, Gestetner\_3245, Gestetner\_3255, Gestetner\_3265, Gestetner\_P7032,  
HP\_LaserJet\_5Si, Konica\_Minolta\_Pi3502, Konica\_Minolta\_Pi3505e,  
Konica\_Minolta\_Pi4700e, Konica\_Minolta\_Pi5500, Konica\_Minolta\_Pi5501,  
Konica\_Minolta\_Pi6500e, Konica\_Minolta\_Pi7200e, Konica\_Minolta\_Pi7500,  
Konica\_Minolta\_CF2001, Ri coh\_Afi cio\_220, Ri coh\_Afi cio\_270, Ri coh\_Afi cio\_350,  
Ri coh\_Afi cio\_450, Ri coh\_Afi cio\_550, Ri coh\_Afi cio\_650, Ri coh\_Afi cio\_AP4500,  
Ri coh\_Afi cio\_AP3200, Savin\_9935DP, Savin\_9945DP, Savin\_9955DP, Savin\_9965DP,  
Sharp\_AR286\_FN1, Sharp\_AR336\_FN1, Sharp\_AR405\_FN1, Sharp\_AR505\_FN1,  
Sharp\_AR286\_FN2, Sharp\_AR336\_FN2, Sharp\_AR405\_FN2, Sharp\_AR505\_FN2,  
Toshi ba\_DP\_4580, Toshi ba\_DP\_5570, Toshi ba\_DP\_6570, Toshi ba\_DP\_8070,  
Toshi ba\_eSTUDI035, Toshi ba\_eSTUDI045, Toshi ba\_eSTUDI055, Toshi ba\_eSTUDI065,  
Toshi ba\_eSTUDI080, Custom\_copier\_driver)  
PR3\_DC\_DUP. : OFF (OFF, SIMPLEX, LONG\_EDGE\_BINDING, SHORT\_EDGE\_BINDING)  
PR3\_DC\_STAP. : OFF (OFF, TOP\_LEFT\_SLANT, TOP\_LEFT\_HORIZONTAL,  
TOP\_LEFT\_VERTICAL, TOP\_RIGHT, BOTTOM\_LEFT, BOTTOM\_RIGHT, TOP\_DOUBLE,  
LEFT\_DOUBLE, CENTER)  
PR3\_DC\_HOLE. : OFF (OFF, LONG\_EDGE, SHORT\_EDGE)  
PR3\_DC\_FOLD. : OFF (OFF, HALF\_FOLD, Z\_FOLD)  
PR3\_DC\_TRAY. : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)  
PR3\_DC\_COP. : 1

--- Printer4 Menu

PR4\_OUT. : USB1 (NONE, LPT1, USB1)  
PR4\_NAME. :  
PR4\_SCND. : PR4 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)  
PR4\_WAIT. : YES  
PR4\_IN. : AUTO (AUTO, NONE)  
PR4\_BEF. :  
PR4\_STR. :  
PR4\_CSET. : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,  
7ND>IBM, DEC>IBM)  
PR4\_FILT. : NONE (NONE, POSTSCR, AUTO\_PS)  
PR4\_AFT. :  
PR4\_DUMP. : NO  
PR4\_SIZE. : A4 (A4, LETTER, LEGAL, EXECUT)

Config.txt

```

PR4_ORNT.      : PORTR (PORTR, LANDS, R_PORTR, R_LANDS)
PR4_FORM.      : 66 0 100 60 30 50
PR4_FONT.      :
PR4_DC_MOD.    : NONE (NONE, Canon_GP335, Canon_GP605, Canon_IR3300,
Gestetner_3235, Gestetner_3245, Gestetner_3255, Gestetner_3265, Gestetner_P7032,
HP_LaserJet_5Si, Koni ca_Mi nol ta_Pi 3502, Koni ca_Mi nol ta_Pi 3505e,
Koni ca_Mi nol ta_Pi 4700e, Koni ca_Mi nol ta_Pi 5500, Koni ca_Mi nol ta_Pi 5501,
Koni ca_Mi nol ta_Pi 6500e, Koni ca_Mi nol ta_Pi 7200e, Koni ca_Mi nol ta_Pi 7500,
Koni ca_Mi nol ta_CF2001, Ri coh_Afi ci o_220, Ri coh_Afi ci o_270, Ri coh_Afi ci o_350,
Ri coh_Afi ci o_450, Ri coh_Afi ci o_550, Ri coh_Afi ci o_650, Ri coh_Afi ci o_AP4500,
Ri coh_Afi ci o_AP3200, Savin_9935DP, Savin_9945DP, Savin_9955DP, Savin_9965DP,
Sharp_AR286_FN1, Sharp_AR336_FN1, Sharp_AR405_FN1, Sharp_AR505_FN1,
Sharp_AR286_FN2, Sharp_AR336_FN2, Sharp_AR405_FN2, Sharp_AR505_FN2,
Toshi ba_DP_4580, Toshi ba_DP_5570, Toshi ba_DP_6570, Toshi ba_DP_8070,
Toshi ba_eSTUDI035, Toshi ba_eSTUDI045, Toshi ba_eSTUDI055, Toshi ba_eSTUDI065,
Toshi ba_eSTUDI080, Custom_copier_driver)
PR4_DC_DUP.    : OFF (OFF, SIMPLEX, LONG_EDGE_BINDING, SHORT_EDGE_BINDING)
PR4_DC_STAP.   : OFF (OFF, TOP_LEFT_SLANT, TOP_LEFT_HORIZONTAL,
TOP_LEFT_VERTICAL, TOP_RIGHT, BOTTOM_LEFT, BOTTOM_RIGHT, TOP_DOUBLE,
LEFT_DOUBLE, CENTER)
PR4_DC_HOLE.   : OFF (OFF, LONG_EDGE, SHORT_EDGE)
PR4_DC_FOLD.   : OFF (OFF, HALF_FOLD, Z_FOLD)
PR4_DC_TRAY.   : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)
PR4_DC_COP.    : 1

```

--- Printer5 Menu

```

PR5_OUT.       : LPT1 (NONE, LPT1, USB1)
PR5_NAME.      :
PR5_SCND.      : PR5 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)
PR5_WAIT.      : YES
PR5_IN.        : AUTO (AUTO, NONE)
PR5_BEF.       :
PR5_STR.       :
PR5_CSET.      : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,
7ND>IBM, DEC>IBM)
PR5_FILT.      : NONE (NONE, POSTSCR, AUTO_PS)
PR5_AFT.       :
PR5_DUMP.      : NO
PR5_SIZE.      : A4 (A4, LETTER, LEGAL, EXECUT)
PR5_ORNT.      : PORTR (PORTR, LANDS, R_PORTR, R_LANDS)
PR5_FORM.      : 66 0 100 60 30 50
PR5_FONT.      :
PR5_DC_MOD.    : NONE (NONE, Canon_GP335, Canon_GP605, Canon_IR3300,
Gestetner_3235, Gestetner_3245, Gestetner_3255, Gestetner_3265, Gestetner_P7032,
HP_LaserJet_5Si, Koni ca_Mi nol ta_Pi 3502, Koni ca_Mi nol ta_Pi 3505e,
Koni ca_Mi nol ta_Pi 4700e, Koni ca_Mi nol ta_Pi 5500, Koni ca_Mi nol ta_Pi 5501,
Koni ca_Mi nol ta_Pi 6500e, Koni ca_Mi nol ta_Pi 7200e, Koni ca_Mi nol ta_Pi 7500,
Koni ca_Mi nol ta_CF2001, Ri coh_Afi ci o_220, Ri coh_Afi ci o_270, Ri coh_Afi ci o_350,
Ri coh_Afi ci o_450, Ri coh_Afi ci o_550, Ri coh_Afi ci o_650, Ri coh_Afi ci o_AP4500,
Ri coh_Afi ci o_AP3200, Savin_9935DP, Savin_9945DP, Savin_9955DP, Savin_9965DP,
Sharp_AR286_FN1, Sharp_AR336_FN1, Sharp_AR405_FN1, Sharp_AR505_FN1,
Sharp_AR286_FN2, Sharp_AR336_FN2, Sharp_AR405_FN2, Sharp_AR505_FN2,
Toshi ba_DP_4580, Toshi ba_DP_5570, Toshi ba_DP_6570, Toshi ba_DP_8070,
Toshi ba_eSTUDI035, Toshi ba_eSTUDI045, Toshi ba_eSTUDI055, Toshi ba_eSTUDI065,
Toshi ba_eSTUDI080, Custom_copier_driver)
PR5_DC_DUP.    : OFF (OFF, SIMPLEX, LONG_EDGE_BINDING, SHORT_EDGE_BINDING)
PR5_DC_STAP.   : OFF (OFF, TOP_LEFT_SLANT, TOP_LEFT_HORIZONTAL,
TOP_LEFT_VERTICAL, TOP_RIGHT, BOTTOM_LEFT, BOTTOM_RIGHT, TOP_DOUBLE,
LEFT_DOUBLE, CENTER)
PR5_DC_HOLE.   : OFF (OFF, LONG_EDGE, SHORT_EDGE)
PR5_DC_FOLD.   : OFF (OFF, HALF_FOLD, Z_FOLD)
PR5_DC_TRAY.   : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)
PR5_DC_COP.    : 1

```

--- Printer6 Menu

```

PR6_OUT.       : USB1 (NONE, LPT1, USB1)
PR6_NAME.      :
PR6_SCND.      : PR6 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)
PR6_WAIT.      : YES

```

Config.txt

```

PR6_IN.      : AUTO (AUTO, NONE)
PR6_BEF.    :
PR6_STR.    :
PR6_CSET.   : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,
7ND>IBM, DEC>IBM)
PR6_FILT.   : NONE (NONE, POSTSCR, AUTO_PS)
PR6_AFT.    :
PR6_DUMP.   : NO
PR6_SIZE.   : A4 (A4, LETTER, LEGAL, EXECUT)
PR6_ORNT.   : PORTR (PORTR, LANDS, R_PORTR, R_LANDS)
PR6_FORM.   : 66 0 100 60 30 50
PR6_FONT.   :
PR6_DC_MOD. : NONE (NONE, Canon_GP335, Canon_GP605, Canon_IR3300,
Gestetner_3235, Gestetner_3245, Gestetner_3255, Gestetner_3265, Gestetner_P7032,
HP_LaserJet_5Si, Konica_Minolta_Pi3502, Konica_Minolta_Pi3505e,
Konica_Minolta_Pi4700e, Konica_Minolta_Pi5500, Konica_Minolta_Pi5501,
Konica_Minolta_Pi6500e, Konica_Minolta_Pi7200e, Konica_Minolta_Pi7500,
Konica_Minolta_CF2001, Ricoh_Aficio_220, Ricoh_Aficio_270, Ricoh_Aficio_350,
Rico h_Aficio_450, Ricoh_Aficio_550, Ricoh_Aficio_650, Ricoh_Aficio_AP4500,
Rico h_Aficio_AP3200, Savin_9935DP, Savin_9945DP, Savin_9955DP, Savin_9965DP,
Sharp_AR286_FN1, Sharp_AR336_FN1, Sharp_AR405_FN1, Sharp_AR505_FN1,
Sharp_AR286_FN2, Sharp_AR336_FN2, Sharp_AR405_FN2, Sharp_AR505_FN2,
Toshi ba_DP_4580, Toshi ba_DP_5570, Toshi ba_DP_6570, Toshi ba_DP_8070,
Toshi ba_eSTUDI035, Toshi ba_eSTUDI045, Toshi ba_eSTUDI055, Toshi ba_eSTUDI065,
Toshi ba_eSTUDI080, Custom_copier_driver)
PR6_DC_DUP. : OFF (OFF, SIMPLEX, LONG_EDGE_BINDING, SHORT_EDGE_BINDING)
PR6_DC_STAP.: OFF (OFF, TOP_LEFT_SLANT, TOP_LEFT_HORIZONTAL,
TOP_LEFT_VERTICAL, TOP_RIGHT, BOTTOM_LEFT, BOTTOM_RIGHT, TOP_DOUBLE,
LEFT_DOUBLE, CENTER)
PR6_DC_HOLE.: OFF (OFF, LONG_EDGE, SHORT_EDGE)
PR6_DC_FOLD.: OFF (OFF, HALF_FOLD, Z_FOLD)
PR6_DC_TRAY.: DEFAULT (DEFAULT, 1, 2, 3, 4, 5)
PR6_DC_COP. : 1

```

--- Printer7 Menu

```

PR7_OUT.    : LPT1 (NONE, LPT1, USB1)
PR7_NAME.   :
PR7_SCND.   : PR7 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)
PR7_WAIT.   : YES
PR7_IN.     : AUTO (AUTO, NONE)
PR7_BEF.    :
PR7_STR.    :
PR7_CSET.   : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,
7ND>IBM, DEC>IBM)
PR7_FILT.   : NONE (NONE, POSTSCR, AUTO_PS)
PR7_AFT.    :
PR7_DUMP.   : NO
PR7_SIZE.   : A4 (A4, LETTER, LEGAL, EXECUT)
PR7_ORNT.   : PORTR (PORTR, LANDS, R_PORTR, R_LANDS)
PR7_FORM.   : 66 0 100 60 30 50
PR7_FONT.   :
PR7_DC_MOD. : NONE (NONE, Canon_GP335, Canon_GP605, Canon_IR3300,
Gestetner_3235, Gestetner_3245, Gestetner_3255, Gestetner_3265, Gestetner_P7032,
HP_LaserJet_5Si, Konica_Minolta_Pi3502, Konica_Minolta_Pi3505e,
Konica_Minolta_Pi4700e, Konica_Minolta_Pi5500, Konica_Minolta_Pi5501,
Konica_Minolta_Pi6500e, Konica_Minolta_Pi7200e, Konica_Minolta_Pi7500,
Konica_Minolta_CF2001, Ricoh_Aficio_220, Ricoh_Aficio_270, Ricoh_Aficio_350,
Rico h_Aficio_450, Ricoh_Aficio_550, Ricoh_Aficio_650, Ricoh_Aficio_AP4500,
Rico h_Aficio_AP3200, Savin_9935DP, Savin_9945DP, Savin_9955DP, Savin_9965DP,
Sharp_AR286_FN1, Sharp_AR336_FN1, Sharp_AR405_FN1, Sharp_AR505_FN1,
Sharp_AR286_FN2, Sharp_AR336_FN2, Sharp_AR405_FN2, Sharp_AR505_FN2,
Toshi ba_DP_4580, Toshi ba_DP_5570, Toshi ba_DP_6570, Toshi ba_DP_8070,
Toshi ba_eSTUDI035, Toshi ba_eSTUDI045, Toshi ba_eSTUDI055, Toshi ba_eSTUDI065,
Toshi ba_eSTUDI080, Custom_copier_driver)
PR7_DC_DUP. : OFF (OFF, SIMPLEX, LONG_EDGE_BINDING, SHORT_EDGE_BINDING)
PR7_DC_STAP.: OFF (OFF, TOP_LEFT_SLANT, TOP_LEFT_HORIZONTAL,
TOP_LEFT_VERTICAL, TOP_RIGHT, BOTTOM_LEFT, BOTTOM_RIGHT, TOP_DOUBLE,
LEFT_DOUBLE, CENTER)
PR7_DC_HOLE.: OFF (OFF, LONG_EDGE, SHORT_EDGE)

```

Config.txt

PR7\_DC\_FOLD. : OFF (OFF, HALF\_FOLD, Z\_FOLD)  
 PR7\_DC\_TRAY. : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)  
 PR7\_DC\_COP. : 1

--- Printer8 Menu

PR8\_OUT. : USB1 (NONE, LPT1, USB1)  
 PR8\_NAME. :  
 PR8\_SCND. : PR8 (PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)  
 PR8\_WAIT. : YES  
 PR8\_IN. : AUTO (AUTO, NONE)  
 PR8\_BEF. :  
 PR8\_STR. :  
 PR8\_CSET. : NONE (NONE, ISO>IBM, 7UK>IBM, 7SW>IBM, 7GE>IBM, 7FR>IBM,  
 7ND>IBM, DEC>IBM)  
 PR8\_FILT. : NONE (NONE, POSTSCR, AUTO\_PS)  
 PR8\_AFT. :  
 PR8\_DUMP. : NO  
 PR8\_SIZE. : A4 (A4, LETTER, LEGAL, EXECUT)  
 PR8\_ORNT. : PORTR (PORTR, LANDS, R\_PORTR, R\_LANDS)  
 PR8\_FORM. : 66 0 100 60 30 50  
 PR8\_FONT. :  
 PR8\_DC\_MOD. : NONE (NONE, Canon\_GP335, Canon\_GP605, Canon\_IR3300,  
 Gestetner\_3235, Gestetner\_3245, Gestetner\_3255, Gestetner\_3265, Gestetner\_P7032,  
 HP\_LaserJet\_5Si, Koni ca\_Mi nol ta\_Pi 3502, Koni ca\_Mi nol ta\_Pi 3505e,  
 Koni ca\_Mi nol ta\_Pi 4700e, Koni ca\_Mi nol ta\_Pi 5500, Koni ca\_Mi nol ta\_Pi 5501,  
 Koni ca\_Mi nol ta\_Pi 6500e, Koni ca\_Mi nol ta\_Pi 7200e, Koni ca\_Mi nol ta\_Pi 7500,  
 Koni ca\_Mi nol ta\_CF2001, Ricoh\_Aficio\_220, Ricoh\_Aficio\_270, Ricoh\_Aficio\_350,  
 Ricoh\_Aficio\_450, Ricoh\_Aficio\_550, Ricoh\_Aficio\_650, Ricoh\_Aficio\_AP4500,  
 Ricoh\_Aficio\_AP3200, Savin\_9935DP, Savin\_9945DP, Savin\_9955DP, Savin\_9965DP,  
 Sharp\_AR286\_FN1, Sharp\_AR336\_FN1, Sharp\_AR405\_FN1, Sharp\_AR505\_FN1,  
 Sharp\_AR286\_FN2, Sharp\_AR336\_FN2, Sharp\_AR405\_FN2, Sharp\_AR505\_FN2,  
 Toshiba\_DP\_4580, Toshiba\_DP\_5570, Toshiba\_DP\_6570, Toshiba\_DP\_8070,  
 Toshiba\_eSTUDI035, Toshiba\_eSTUDI045, Toshiba\_eSTUDI055, Toshiba\_eSTUDI065,  
 Toshiba\_eSTUDI080, Custom\_copier\_driver)  
 PR8\_DC\_DUP. : OFF (OFF, SIMPLEX, LONG\_EDGE\_BINDING, SHORT\_EDGE\_BINDING)  
 PR8\_DC\_STAP. : OFF (OFF, TOP\_LEFT\_SLANT, TOP\_LEFT\_HORIZONTAL,  
 TOP\_LEFT\_VERTICAL, TOP\_RIGHT, BOTTOM\_LEFT, BOTTOM\_RIGHT, TOP\_DOUBLE,  
 LEFT\_DOUBLE, CENTER)  
 PR8\_DC\_HOLE. : OFF (OFF, LONG\_EDGE, SHORT\_EDGE)  
 PR8\_DC\_FOLD. : OFF (OFF, HALF\_FOLD, Z\_FOLD)  
 PR8\_DC\_TRAY. : DEFAULT (DEFAULT, 1, 2, 3, 4, 5)  
 PR8\_DC\_COP. : 1

--- DC General Menu

PAR\_CUST\_DC\_CTRL\_NAME. :

--- DC PCL Control Menu

PAR\_CUST\_DC\_PCL\_CTRL\_METHOD. : PCL (None, PS, PJL, PCL, PS\_PJL)  
 PAR\_CUST\_DC\_PCL\_CTRL\_ENTER. :  
 PAR\_CUST\_DC\_PCL\_CTRL\_POSTSCRIPT. :  
 PAR\_CUST\_DC\_PCL\_CTRL\_PCL. :  
 PAR\_CUST\_DC\_PCL\_CTRL\_PCLXL. :  
 PAR\_CUST\_DC\_PCL\_CTRL\_EXIT. :

--- DC PCL Duplex Menu

PAR\_CUST\_DC\_PCL\_DUP\_SIMPLEX. :  
 PAR\_CUST\_DC\_PCL\_DUP\_LONG. :  
 PAR\_CUST\_DC\_PCL\_DUP\_SHORT. :

--- DC PCL Staple Menu

PAR\_CUST\_DC\_PCL\_STP\_TOP\_L\_SLN. :  
 PAR\_CUST\_DC\_PCL\_STP\_TOP\_L\_HOR. :  
 PAR\_CUST\_DC\_PCL\_STP\_TOP\_L\_VER. :  
 PAR\_CUST\_DC\_PCL\_STP\_TOP\_RIGHT. :  
 PAR\_CUST\_DC\_PCL\_STP\_LOW\_LEFT. :  
 PAR\_CUST\_DC\_PCL\_STP\_LOW\_RIGHT. :  
 PAR\_CUST\_DC\_PCL\_STP\_TOP\_2. :  
 PAR\_CUST\_DC\_PCL\_STP\_LEFT\_2. :  
 PAR\_CUST\_DC\_PCL\_STP\_MID\_2. :



Config.txt

--- DC PCL Punch Menu  
PAR\_CUST\_DC\_PCL\_PUNCH\_LONG. :  
PAR\_CUST\_DC\_PCL\_PUNCH\_SHORT. :

--- DC PCL Fold Menu  
PAR\_CUST\_DC\_PCL\_FOLD\_HALF. :  
PAR\_CUST\_DC\_PCL\_FOLD\_Z. :

--- DC PCL Media Menu  
PAR\_CUST\_DC\_PCL\_MEDIA\_DEFAULT. :  
PAR\_CUST\_DC\_PCL\_MEDIA\_TRAY1. :  
PAR\_CUST\_DC\_PCL\_MEDIA\_TRAY2. :  
PAR\_CUST\_DC\_PCL\_MEDIA\_TRAY3. :  
PAR\_CUST\_DC\_PCL\_MEDIA\_TRAY4. :  
PAR\_CUST\_DC\_PCL\_MEDIA\_TRAY5. :

--- DC PCL Copies Menu  
PAR\_CUST\_DC\_PCL\_COPIES\_LEAD. :  
PAR\_CUST\_DC\_PCL\_COPIES\_TRAILER. :

--- DC PS Control Menu  
PAR\_CUST\_DC\_PS\_CTRL\_METHOD. : PS (None, PS, PJJ, PCL, PS\_PJJ)  
PAR\_CUST\_DC\_PS\_CTRL\_ENTER. :  
PAR\_CUST\_DC\_PS\_CTRL\_POSTSCRIPT. :  
PAR\_CUST\_DC\_PS\_CTRL\_PCL. :  
PAR\_CUST\_DC\_PS\_CTRL\_PCLXL. :  
PAR\_CUST\_DC\_PS\_CTRL\_EXIT. :

--- DC PS Duplex Menu  
PAR\_CUST\_DC\_PS\_DUP\_SIMPLEX. :  
PAR\_CUST\_DC\_PS\_DUP\_LONG. :  
PAR\_CUST\_DC\_PS\_DUP\_SHORT. :

--- DC PS Staple Menu  
PAR\_CUST\_DC\_PS\_STP\_TOP\_L\_SLN. :  
PAR\_CUST\_DC\_PS\_STP\_TOP\_L\_HOR. :  
PAR\_CUST\_DC\_PS\_STP\_TOP\_L\_VER. :  
PAR\_CUST\_DC\_PS\_STP\_TOP\_RIGHT. :  
PAR\_CUST\_DC\_PS\_STP\_LOW\_LEFT. :  
PAR\_CUST\_DC\_PS\_STP\_LOW\_RIGHT. :  
PAR\_CUST\_DC\_PS\_STP\_TOP\_2. :  
PAR\_CUST\_DC\_PS\_STP\_LEFT\_2. :  
PAR\_CUST\_DC\_PS\_STP\_MID\_2. :

--- DC PS Punch Menu  
PAR\_CUST\_DC\_PS\_PUNCH\_LONG. :  
PAR\_CUST\_DC\_PS\_PUNCH\_SHORT. :

--- DC PS Fold Menu  
PAR\_CUST\_DC\_PS\_FOLD\_HALF. :  
PAR\_CUST\_DC\_PS\_FOLD\_Z. :

--- DC PS Media Menu  
PAR\_CUST\_DC\_PS\_MEDIA\_DEFAULT. :  
PAR\_CUST\_DC\_PS\_MEDIA\_TRAY1. :  
PAR\_CUST\_DC\_PS\_MEDIA\_TRAY2. :  
PAR\_CUST\_DC\_PS\_MEDIA\_TRAY3. :  
PAR\_CUST\_DC\_PS\_MEDIA\_TRAY4. :  
PAR\_CUST\_DC\_PS\_MEDIA\_TRAY5. :

--- DC PS Copies Menu  
PAR\_CUST\_DC\_PS\_COPIES\_LEAD. :  
PAR\_CUST\_DC\_PS\_COPIES\_TRAILER. :

--- LPT1 Menu  
L1\_CENTR. : HISPEED (IBM\_PC, STNDRD, FAST, HISPEED, HINOACK, ECP)  
L1\_BSYTM. : 60  
L1\_MGM\_INFO. : AUTO (DISABLE, AUTO)

Config.txt

L1\_COMMENT. :  
 L1\_BIDIR. : AUTO (DISABLE, AUTO)  
 L1\_READT. : 3

--- USB1 Menu

U1\_MGM\_INFO. : DISABLE (DISABLE, AUTO)  
 U1\_COMMENT. :  
 U1\_BIDIR. : DISABLE (DISABLE, AUTO)  
 U1\_READT. : 3  
 U1\_BUFFER\_SIZE. : 0  
 U1\_PORT\_STATUS\_OVERRIDE. : YES

--- IBM IPDS Configuration

IPDS\_COLSUP. : Disabled  
 IPDS\_DUPSUP. : Enabled  
 IPDS\_OPTDUP. : Enabled  
 IPDS\_RAF. : Disabled  
 IPDS\_NUP. : 1-up (1-up, 2-up, 4-up)  
 IPDS\_OVLXOFF. : 0  
 IPDS\_OVLYOFF. : 0  
 IPDS\_RPTXOFF. : 0  
 IPDS\_RPTYOFF. : 0  
 IPDS\_DOB. : Bin1 (Bin1, Bin2, Bin3, Bin4, Bin5, Bin6)  
 IPDS\_DIB. : Bin1 (Bin1, Bin2, Bin3, Bin4, Bin5)  
 PS\_IPLINK. : Off (Off, Sheet, Bin)  
 IPDS\_BIN1. : A4, 0, 0  
 IPDS\_BIN2. : A4, 0, 0  
 IPDS\_BIN3. : A4, 0, 0  
 IPDS\_BIN4. : A4, 0, 0  
 IPDS\_BIN5. : A4, 0, 0

--- IBM IPDS PostScript Driver Settings

PS\_LFSM. : Enabled  
 PS\_ERRH. : Disabled  
 PS\_OPTOVL. : Enabled  
 PS\_G4SUP. : Disabled  
 PS\_VM. : 2000  
 PS\_BIN1. : Default, 100, 100, 0, 0  
 PS\_BIN2. : Default, 100, 100, 0, 0  
 PS\_BIN3. : Default, 100, 100, 0, 0  
 PS\_BIN4. : Default, 100, 100, 0, 0  
 PS\_BIN5. : Default, 100, 100, 0, 0  
 PS\_DEST. : 0, 0, 0, 0, 0, 0

--- IBM IPDS PCL Driver Settings

PCL\_VER. : 5 (3, 4, 5)  
 PCL\_SBSET. : AUTOMATIC (AUTOMATIC, US-ASCII, Latin1, Latin5, Latin9, PC437,  
 PC850, PC852, Roman8, ISO8859-7)  
 PCL\_OCR\_ENB. : Enabled  
 PCL\_OPTOVL. : Disabled  
 PCL\_BIN1. : 8, 0, 0  
 PCL\_BIN2. : 1, 0, 0  
 PCL\_BIN3. : 4, 0, 0  
 PCL\_BIN4. : 5, 0, 0  
 PCL\_BIN5. : 0, 0, 0  
 PCL\_DEST. : 0, 0, 0, 0, 0, 0

--- IBM EMULATOR 1

IPDS\_PREMUL1. : IPDS\_4028\_2 (IPDS\_4224\_C2, IPDS\_4224\_E3, IPDS\_3812\_2,  
 IPDS\_3812\_2\_00, IPDS\_3816, IPDS\_4028\_1, IPDS\_4028\_2, IPDS\_4312, IPDS\_4317,  
 IPDS\_4324, IPDS\_4332)  
 IPDS\_PRES1. : 0  
 IPDS\_SYSL1. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,  
 284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,  
 819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,  
 905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,  
 1145, 1146, 1147, 1148, 1149, 1252)  
 IPDS\_PD1. : PostScript (PostScript, PCL)  
 IPDS\_SOJS1. :

Config.txt

```

IPDS_EOJS1. :
PREMUL1. : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL1. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR1. : NO
MPL1. : 66, ENA
MPP1. : 132, ENA
LPI1. : 6 (3, 4, 6, 8)
CPI1. : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI1. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI1. : YES
LM1. : 0, 0, 48
TM1. : 26, 26, 74
LDSF1. : 100, 100, 70
DEFBIN1. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER1. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

--- IBM EMULATOR 2

```

IPDS_PREMUL2. : IPDS_4332 (IPDS_4224_C2, IPDS_4224_E3, IPDS_3812_2,
IPDS_3812_2_00, IPDS_3816, IPDS_4028_1, IPDS_4028_2, IPDS_4312, IPDS_4317,
IPDS_4324, IPDS_4332)
IPDS_PRRES2. : 0
IPDS_SYSL2. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,
284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,
819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,
905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,
1145, 1146, 1147, 1148, 1149, 1252)
IPDS_PD2. : PostScript (PostScript, PCL)
IPDS_SOJS2. :
IPDS_EOJS2. :
PREMUL2. : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL2. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR2. : NO
MPL2. : 66, ENA
MPP2. : 132, ENA
LPI2. : 6 (3, 4, 6, 8)
CPI2. : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI2. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI2. : YES
LM2. : 0, 0, 48
TM2. : 26, 26, 74
LDSF2. : 100, 100, 70
DEFBIN2. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER2. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

--- IBM EMULATOR 3

```

IPDS_PREMUL3. : IPDS_4332 (IPDS_4224_C2, IPDS_4224_E3, IPDS_3812_2,
IPDS_3812_2_00, IPDS_3816, IPDS_4028_1, IPDS_4028_2, IPDS_4312, IPDS_4317,
IPDS_4324, IPDS_4332)
IPDS_PRRES3. : 0
IPDS_SYSL3. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,
284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,
819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,
905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,

```

Config.txt

```

1145, 1146, 1147, 1148, 1149, 1252)
IPDS_PD3.      : PostScript (PostScript, PCL)
IPDS_SOJS3.    :
IPDS_EOJS3.    :
PREMUL3.      : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL3.        : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR3.     : NO
MPL3.         : 66, ENA
MPP3.         : 132, ENA
LPI3.         : 6 (3, 4, 6, 8)
CPI3.         : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI3.        : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI3.      : YES
LM3.          : 0, 0, 48
TM3.          : 26, 26, 74
LDSF3.        : 100, 100, 70
DEFBIN3.      : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER3.    : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

--- IBM EMULATOR 4

```

IPDS_PREMUL4. : IPDS_4332 (IPDS_4224_C2, IPDS_4224_E3, IPDS_3812_2,
IPDS_3812_2_00, IPDS_3816, IPDS_4028_1, IPDS_4028_2, IPDS_4312, IPDS_4317,
IPDS_4324, IPDS_4332)
IPDS_PRES4.   : 0
IPDS_SYSL4.   : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,
284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,
819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,
905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,
1145, 1146, 1147, 1148, 1149, 1252)
IPDS_PD4.     : PostScript (PostScript, PCL)
IPDS_SOJS4.   :
IPDS_EOJS4.   :
PREMUL4.      : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL4.        : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR4.     : NO
MPL4.         : 66, ENA
MPP4.         : 132, ENA
LPI4.         : 6 (3, 4, 6, 8)
CPI4.         : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI4.        : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI4.      : YES
LM4.          : 0, 0, 48
TM4.          : 26, 26, 74
LDSF4.        : 100, 100, 70
DEFBIN4.      : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER4.    : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

--- IBM EMULATOR 5

```

IPDS_PREMUL5. : IPDS_4332 (IPDS_4224_C2, IPDS_4224_E3, IPDS_3812_2,
IPDS_3812_2_00, IPDS_3816, IPDS_4028_1, IPDS_4028_2, IPDS_4312, IPDS_4317,
IPDS_4324, IPDS_4332)
IPDS_PRES5.   : 0
IPDS_SYSL5.   : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,

```

Config.txt

284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,  
 819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,  
 905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,  
 1145, 1146, 1147, 1148, 1149, 1252)  
 IPDS\_PD5. : PostScript (PostScript, PCL)  
 IPDS\_SOJS5. :  
 IPDS\_EOJS5. :  
 PREMUL5. : 3816\_CX (3287\_CX, 3268\_CX, 3262\_CX, 4214\_CX, 4224\_CX, 4230\_CX,  
 3812\_CX, 3816S\_CX, 3816\_CX, 5224\_TX, 5225\_TX, 5256\_TX, 4214\_TX, 4230\_TX,  
 3812\_TX, 3816S\_TX, 3816\_TX, 5X27\_001\_TX, 5X27\_002\_KS\_TX, 5X27\_002\_KSSM\_TX,  
 5X27\_003\_TX, 5X27\_005\_TX)  
 SYSL5. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,  
 285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,  
 871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,  
 1149, USER)  
 PASSTR5. : NO  
 MPL5. : 66, ENA  
 MPP5. : 132, ENA  
 LPI5. : 6 (3, 4, 6, 8)  
 CPI5. : 10 (5, 10, 12, 13.3, 15, 17, 18)  
 DCPI5. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)  
 AUTORI5. : YES  
 LM5. : 0, 0, 48  
 TM5. : 26, 26, 74  
 LDSF5. : 100, 100, 70  
 DEFBIN5. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,  
 CONTINUOUS)  
 PRDRIVER5. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM\_PRO, EPSON\_FX,  
 EPSON\_FX\_15CPI, EPSON\_LQ, EPSON\_LQ\_8LPI, EPSON\_LQ\_1600K, EPSON\_LQ\_KS)

--- IBM EMULATOR 6

IPDS\_PREMUL6. : IPDS\_4332 (IPDS\_4224\_C2, IPDS\_4224\_E3, IPDS\_3812\_2,  
 IPDS\_3812\_2\_00, IPDS\_3816, IPDS\_4028\_1, IPDS\_4028\_2, IPDS\_4312, IPDS\_4317,  
 IPDS\_4324, IPDS\_4332)  
 IPDS\_PRES6. : 0  
 IPDS\_SYSL6. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,  
 284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,  
 819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,  
 905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,  
 1145, 1146, 1147, 1148, 1149, 1252)  
 IPDS\_PD6. : PostScript (PostScript, PCL)  
 IPDS\_SOJS6. :  
 IPDS\_EOJS6. :  
 PREMUL6. : 3816\_CX (3287\_CX, 3268\_CX, 3262\_CX, 4214\_CX, 4224\_CX, 4230\_CX,  
 3812\_CX, 3816S\_CX, 3816\_CX, 5224\_TX, 5225\_TX, 5256\_TX, 4214\_TX, 4230\_TX,  
 3812\_TX, 3816S\_TX, 3816\_TX, 5X27\_001\_TX, 5X27\_002\_KS\_TX, 5X27\_002\_KSSM\_TX,  
 5X27\_003\_TX, 5X27\_005\_TX)  
 SYSL6. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,  
 285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,  
 871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,  
 1149, USER)  
 PASSTR6. : NO  
 MPL6. : 66, ENA  
 MPP6. : 132, ENA  
 LPI6. : 6 (3, 4, 6, 8)  
 CPI6. : 10 (5, 10, 12, 13.3, 15, 17, 18)  
 DCPI6. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)  
 AUTORI6. : YES  
 LM6. : 0, 0, 48  
 TM6. : 26, 26, 74  
 LDSF6. : 100, 100, 70  
 DEFBIN6. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,  
 CONTINUOUS)  
 PRDRIVER6. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM\_PRO, EPSON\_FX,  
 EPSON\_FX\_15CPI, EPSON\_LQ, EPSON\_LQ\_8LPI, EPSON\_LQ\_1600K, EPSON\_LQ\_KS)

--- IBM EMULATOR 7

IPDS\_PREMUL7. : IPDS\_4332 (IPDS\_4224\_C2, IPDS\_4224\_E3, IPDS\_3812\_2,  
 IPDS\_3812\_2\_00, IPDS\_3816, IPDS\_4028\_1, IPDS\_4028\_2, IPDS\_4312, IPDS\_4317,

Config.txt

```

IPDS_4324, IPDS_4332)
IPDS_PRES7. : 0
IPDS_SYSL7. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,
284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,
819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,
905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,
1145, 1146, 1147, 1148, 1149, 1252)
IPDS_PD7. : PostScript (PostScript, PCL)
IPDS_SOJS7. :
IPDS_EOJS7. :
PREMUL7. : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL7. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR7. : NO
MPL7. : 66, ENA
MPP7. : 132, ENA
LPI7. : 6 (3, 4, 6, 8)
CPI7. : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI7. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI7. : YES
LM7. : 0, 0, 48
TM7. : 26, 26, 74
LDSF7. : 100, 100, 70
DEFBIN7. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER7. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

--- IBM EMULATOR 8

```

IPDS_PREMUL8. : IPDS_4332 (IPDS_4224_C2, IPDS_4224_E3, IPDS_3812_2,
IPDS_3812_2_00, IPDS_3816, IPDS_4028_1, IPDS_4028_2, IPDS_4312, IPDS_4317,
IPDS_4324, IPDS_4332)
IPDS_PRES8. : 0
IPDS_SYSL8. : 37 (37, 256, 259, 260, 273, 274, 275, 277, 278, 280, 281, 282,
284, 285, 286, 287, 288, 289, 290, 293, 297, 361, 420, 423, 424, 437, 500, 803,
819, 838, 852, 853, 857, 858, 860, 861, 863, 865, 870, 871, 875, 880, 892, 893,
905, 912, 914, 920, 923, 924, 1004, 1026, 1069, 1140, 1141, 1142, 1143, 1144,
1145, 1146, 1147, 1148, 1149, 1252)
IPDS_PD8. : PostScript (PostScript, PCL)
IPDS_SOJS8. :
IPDS_EOJS8. :
PREMUL8. : 3816_CX (3287_CX, 3268_CX, 3262_CX, 4214_CX, 4224_CX, 4230_CX,
3812_CX, 3816S_CX, 3816_CX, 5224_TX, 5225_TX, 5256_TX, 4214_TX, 4230_TX,
3812_TX, 3816S_TX, 3816_TX, 5X27_001_TX, 5X27_002_KS_TX, 5X27_002_KSSM_TX,
5X27_003_TX, 5X27_005_TX)
SYSL8. : 37 (37, 256, 260, 273, 274, 275, 277, 278, 280, 281, 282, 284,
285, 286, 287, 288, 289, 290, 293, 297, 340, 361, 423, 500, 833, 836, 838, 870,
871, 875, 892, 893, 1026, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148,
1149, USER)
PASSTHR8. : NO
MPL8. : 66, ENA
MPP8. : 132, ENA
LPI8. : 6 (3, 4, 6, 8)
CPI8. : 10 (5, 10, 12, 13.3, 15, 17, 18)
DCPI8. : 5.0 (5.0, 6.0, 6.7, 7.5, 9.0)
AUTORI8. : YES
LM8. : 0, 0, 48
TM8. : 26, 26, 74
LDSF8. : 100, 100, 70
DEFBIN8. : BIN1 (BIN1, BIN2, BIN3, BIN4, BIN5, BIN6, MANUAL, ENVELOPE,
CONTINUOUS)
PRDRIVER8. : PCL5 (USER, GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX,
EPSON_FX_15CPI, EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)

```

Config.txt

--- IBM SCS PAGE FORMAT

PCORI. : NO  
 DWSISO. : NO  
 BIN1. : COR, LETTER, 0, 0  
 BIN2. : COR, LETTER, 0, 0  
 BIN3. : COR, LETTER, 0, 0  
 BIN4. : COR, LETTER, 0, 0  
 BIN5. : COR, LETTER, 0, 0  
 BIN6. : COR, LETTER, 0, 0  
 MANUAL. : COR, LETTER, 0, 0  
 ENVELOPE. : COR, LETTER, 0, 0  
 CONTINUOUS. : COR, LETTER, 0, 0  
 SIMBF. : YES

--- IBM SCS CPI MAPPING

FGID\_DEFAULT. : 11  
 FGID\_CPI5. : 244, 11  
 FGID\_CPI10. : 11, 204  
 FGID\_CPI12. : 86, 230  
 FGID\_CPI15. : 230, 281  
 FGID\_CPI17. : 252, 281  
 FGID\_CPI8COR. : 86  
 FGID\_CPI20COR. : 281  
 FGID\_CPI25COR. : 289  
 FGID\_CPI27COR. : 290  
 PROPCOR. : 230  
 TYPCOR. : 230

--- IBM SCS JOB CONTROL

REINIT. : YES  
 SUPFFBLANK. : NO

--- IBM 3270 OPTIONS

CASE. : DUAL (DUAL, MONO)  
 BASCOL. : BLACK, ENA  
 XSTRN. : 0  
 AUTNL. : 1  
 ADDNL. : 1  
 FFWPB. : 0  
 FFEOPB. : 1  
 NULSUP. : 0  
 FFCPOS. : 0  
 AFEOPB. : 0

--- IBM SCS EXTENDED EMULATION

XEMUL. : YES  
 WARN. : NO  
 SSBST. : YES  
 SBTS. :  
 TLIS. : 025 03C  
 TTRS. : 03E 025  
 FLIS. : 025 02F  
 EECS. : 025 041 058 049 053  
 COBXEM. : SETALL (OFF, SETESC, SETALL)  
 CCLIS. : 025 050

--- UDS

-----

--- BAR NUMBER TYPE WIDTH HEIGHT TEXT-MODE CHECK-MODE

-----

--- SSTR

-----

--- MSTR

-----

--- IBM PRINTER DRIVER

Config.txt

```

PRDRIVERBASE. : PCL5 (GENERIC, PCL4, PCL5, IBM_PRO, EPSON_FX, EPSON_FX_15CPI,
EPSON_LQ, EPSON_LQ_8LPI, EPSON_LQ_1600K, EPSON_LQ_KS)
SOJS. : 1B 45 1B 26 6C 30 4C
EOJS. : 1B 45
BACKSPS. : 08
CRS. : 0D
LFS. : 0A
NLS. : 0D 0A
FFS. : 0C
SOS. :
SIS. :
BLKS. :
GRNS. :
BLUS. :
REDS. :
MAGS. :
CYNS. :
YELS. :
BIN1S. : 1B 26 6C 31 48
BIN2S. : 1B 26 6C 34 48
BIN3S. : 1B 26 6C 35 48
BIN4S. : 1B 26 6C 32 30 48
BIN5S. : 1B 26 6C 32 31 48
BIN6S. : 1B 26 6C 32 32 48
MANUALS. : 1B 26 6C 32 48
ENVELOPES. : 1B 26 6C 36 48
CONTINUOUSS. : 1B 26 6C 31 48
CSI ZS. :
LAC. : HP_PCL (DISABLE, HP_PCL, EPSON_LQ)
GRD. : HP_PCL (DISABLE, HP_PCL, EPSON_LQ)
JOGS. : 1B 26 6C 31 54
SSUS. :
SBSET. : PC850 (ECMA94, IS08859-7, LATIN9, PC437, PC850, PC852, PC857,
PC858, PC869, PC874, PC891, PC903, PC904, PC942, ROMAN8, USASCII, USER)

```

--- FONT FGID CSSF SBSET SPACING PITCH HEIGHT STYLE STROKE TYPEFACE  
STRING

```

--
FONT. : 3, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4102,
1B 28 31 4F
FONT. : 5, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4102,
FONT. : 11, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 12, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 13, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 18, 98, DEFAULT, FIXED, 100, 0, I TALI C, MEDI UM, 4099,
FONT. : 19, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4200,
1B 28 30 4F
FONT. : 20, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 30, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 38, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, BOLD, 4102,
FONT. : 39, 98, DEFAULT, FIXED, 135, 0, UPRI GHT, BOLD, 4102,
FONT. : 40, 98, DEFAULT, FIXED, 135, 0, UPRI GHT, MEDI UM, 4102,
FONT. : 41, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 42, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 43, 98, DEFAULT, FIXED, 100, 0, I TALI C, MEDI UM, 4099,
FONT. : 46, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, BOLD, 4099,
FONT. : 60, 98, DEFAULT, FIXED, 100, 0, UPRI GHT, BOLD, 4099,
FONT. : 66, 98, DEFAULT, FIXED, 150, 0, UPRI GHT, MEDI UM, 4102,
FONT. : 68, 98, DEFAULT, FIXED, 150, 0, I TALI C, MEDI UM, 4102,
FONT. : 69, 98, DEFAULT, FIXED, 150, 0, UPRI GHT, BOLD, 4102,
FONT. : 70, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 71, 98, DEFAULT, FIXED, 120, 0, I TALI C, MEDI UM, 4099,
FONT. : 72, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, BOLD, 4099,
FONT. : 80, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 84, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 85, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 86, 98, DEFAULT, FIXED, 120, 0, UPRI GHT, MEDI UM, 4099,
FONT. : 87, 98, DEFAULT, FIXED, 130, 0, UPRI GHT, MEDI UM, 4102,

```



Conf i g. txt

FONT.	:	91,	98,	DEFAULT, FI XED,	120,	0,	I TALI C, MEDI UM, 4099,	
FONT.	:	108,	98,	DEFAULT, FI XED,	120,	0,	UPRI GHT, BOLD, 4099,	
FONT.	:	110,	98,	DEFAULT, FI XED,	130,	0,	UPRI GHT, BOLD, 4102,	
FONT.	:	111,	98,	DEFAULT, FI XED,	120,	0,	UPRI GHT, BOLD, 4099,	
FONT.	:	112,	98,	DEFAULT, FI XED,	120,	0,	I TALI C, MEDI UM, 4099,	
FONT.	:	155,	100,	DEFAULT, PROP,	0,	110,	I TALI C, BOLD, 4101,	
FONT.	:	158,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	159,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, BOLD, 4101,	
FONT.	:	160,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, MEDI UM, 4148,	
FONT.	:	162,	100,	DEFAULT, PROP,	0,	110,	I TALI C, MEDI UM, 4148,	
FONT.	:	163,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, BOLD, 4148,	
FONT.	:	173,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, LI GHT, 4148,	
FONT.	:	175,	100,	DEFAULT, PROP,	0,	110,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	204,	98,	DEFAULT, FI XED,	167,	0,	UPRI GHT, MEDI UM, 4102,	
FONT.	:	221,	98,	DEFAULT, FI XED,	150,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	223,	98,	DEFAULT, FI XED,	150,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	225,	98,	DEFAULT, FI XED,	150,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	229,	98,	DEFAULT, FI XED,	150,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	230,	98,	DEFAULT, FI XED,	180,	0,	UPRI GHT, MEDI UM, 4102,	
FONT.	:	244,	98,	DEFAULT, FI XED,	100,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	245,	98,	DEFAULT, FI XED,	100,	0,	UPRI GHT, BOLD, 4099,	
FONT.	:	252,	98,	DEFAULT, FI XED,	171,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	253,	98,	DEFAULT, FI XED,	171,	0,	UPRI GHT, BOLD, 4099,	
FONT.	:	254,	98,	DEFAULT, FI XED,	220,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	258,	98,	DEFAULT, FI XED,	180,	0,	UPRI GHT, MEDI UM, 4099,	
FONT.	:	266,	98,	DEFAULT, FI XED,	100,	0,	UPRI GHT, BOLD, 4099,	
FONT.	:	281,	98,	DEFAULT, FI XED,	233,	0,	UPRI GHT, MEDI UM, 4102,	
FONT.	:	289,	98,	DEFAULT, FI XED,	267,	0,	UPRI GHT, MEDI UM, 4102,	
FONT.	:	290,	98,	DEFAULT, FI XED,	300,	0,	UPRI GHT, MEDI UM, 4102,	
FONT.	:	751,	100,	DEFAULT, PROP,	0,	80,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	1051,	100,	DEFAULT, PROP,	0,	100,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	1053,	100,	DEFAULT, PROP,	0,	100,	UPRI GHT, BOLD, 4101,	
FONT.	:	1056,	100,	DEFAULT, PROP,	0,	100,	I TALI C, MEDI UM, 4101,	
FONT.	:	1351,	100,	DEFAULT, PROP,	0,	120,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	1653,	100,	DEFAULT, PROP,	0,	160,	UPRI GHT, BOLD, 4101,	
FONT.	:	2103,	100,	DEFAULT, PROP,	0,	240,	UPRI GHT, BOLD, 4101,	
FONT.	:	3840,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4101,	
FONT.	:	3841,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD, 4101,	
FONT.	:	3842,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4101,	
FONT.	:	3843,	100,	DEFAULT, PROP,	0,	0,	I TALI C, BOLD, 4101,	
FONT.	:	3844,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4113,	
FONT.	:	3845,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD, 4113,	
FONT.	:	3846,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4113,	
FONT.	:	3847,	100,	DEFAULT, PROP,	0,	0,	I TALI C, BOLD, 4113,	
FONT.	:	3848,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4116,	
FONT.	:	3849,	100,	DEFAULT, PROP,	0,	0,	NONE, MEDI UM, 4140,	1B
		28 73	34 53					
FONT.	:	3850,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4148,	
FONT.	:	3851,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD, 4148,	
FONT.	:	3852,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4148,	
FONT.	:	3853,	100,	DEFAULT, PROP,	0,	0,	I TALI C, BOLD, 4148,	
FONT.	:	3854,	100,	DEFAULT, PROP,	0,	0,	NONE, MEDI UM, 4148,	1B
		28 73	34 53					
FONT.	:	3855,	100,	DEFAULT, PROP,	0,	0,	NONE, BOLD, 4148,	1B
		28 73	34 53					
FONT.	:	3856,	100,	DEFAULT, PROP,	0,	0,	NONE, MEDI UM, 4148,	1B
		28 73	35 53					
FONT.	:	3857,	100,	DEFAULT, PROP,	0,	0,	NONE, BOLD, 4148,	1B
		28 73	35 53					
FONT.	:	3858,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4168,	
FONT.	:	3859,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD, 4168,	
FONT.	:	3860,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4168,	
FONT.	:	3861,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4197,	
FONT.	:	3862,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD, 4197,	
FONT.	:	3863,	100,	DEFAULT, PROP,	0,	0,	I TALI C, MEDI UM, 4197,	
FONT.	:	3864,	100,	DEFAULT, PROP,	0,	0,	I TALI C, BOLD, 4197,	
FONT.	:	3865,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM, 4297,	
FONT.	:	3866,	100,	DEFAULT, PROP,	0,	0,	UPRI GHT, NONE, 4362,	

		Config. txt					
FONT.	: 3867, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, NONE,	4362,		
1B 28 73 34 42							
FONT.	: 3868, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	16602,		
FONT.	: 3869, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	16602,		
FONT.	: 3870, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	16602,		
FONT.	: 3871, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	16602,		
FONT.	: 3872, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	16901,		
FONT.	: 3873, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	16901,		
FONT.	: 3874, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	16901,		
FONT.	: 3875, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	16901,		
FONT.	: 3876, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	16686,		
1B 28 31 39 4D							
FONT.	: 3877, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	31402,		
1B 28 35 37 39 4C							
FONT.	: 5687, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	16901,		
FONT.	: 5707, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	16901,		
FONT.	: 5815, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	16901,		
FONT.	: 5835, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	16901,		
FONT.	: 6199, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	4197,		
FONT.	: 6219, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	4197,		
FONT.	: 6327, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	4197,		
FONT.	: 6347, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	4197,		
FONT.	: 16951, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	4101,		
FONT.	: 16971, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	4101,		
FONT.	: 17079, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	4101,		
FONT.	: 17099, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	4101,		
FONT.	: 33335, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	4113,		
FONT.	: 33355, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	4113,		
FONT.	: 33463, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	4113,		
FONT.	: 33483, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	4113,		
FONT.	: 33591, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	16602,		
FONT.	: 33601, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	16602,		
FONT.	: 33719, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	16602,		
FONT.	: 33729, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	16602,		
FONT.	: 34103, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	4148,		
FONT.	: 34123, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	4148,		
FONT.	: 34231, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	4148,		
FONT.	: 34251, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	4148,		
FONT.	: 41783, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, MEDI UM,	4116,		
FONT.	: 41803, 100, DEFAULT, PROP,	0,	0,	UPRI GHT, BOLD,	4116,		
FONT.	: 41911, 100, DEFAULT, PROP,	0,	0,	ITALI C, MEDI UM,	4116,		
FONT.	: 41931, 100, DEFAULT, PROP,	0,	0,	ITALI C, BOLD,	4116,		
FONT.	: 50000, 100, PC942, PROP,	0,	144,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50001, 100, PC942, PROP,	0,	144,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50002, 100, PC942, PROP,	0,	120,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50003, 100, PC942, PROP,	0,	108,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50004, 100, PC942, PROP,	0,	96,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50005, 100, PC942, PROP,	0,	96,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50006, 100, PC942, PROP,	0,	80,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50007, 100, PC942, PROP,	0,	101,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50008, 100, PC942, PROP,	0,	101,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50009, 100, PC942, PROP,	0,	84,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50010, 100, PC942, PROP,	0,	76,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50011, 100, PC942, PROP,	0,	67,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50012, 100, PC942, PROP,	0,	67,	UPRI GHT, MEDI UM,	28752,	1B	
28 31 39 4B 1B 26 74 33 31 50							
FONT.	: 50013, 100, PC942, PROP,	0,	56,	UPRI GHT, MEDI UM,	28752,	1B	





Config.txt

FONT.	:	28 31 38 43 1B 26 74 33 38 50	56,	UPRI GHT, MEDI UM, 37058,	1B
FONT.	:	50123,100, PC903,PROP, 0,	144,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	144,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50131,100, PC891,PROP, 0,	120,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	108,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50132,100, PC891,PROP, 0,	96,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	96,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50133,100, PC891,PROP, 0,	80,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	101,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50134,100, PC891,PROP, 0,	101,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	84,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50135,100, PC891,PROP, 0,	76,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	67,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50136,100, PC891,PROP, 0,	67,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	56,	UPRI GHT, MEDI UM, 43088,	1B
FONT.	:	50137,100, PC891,PROP, 0,	144,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	120,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50138,100, PC891,PROP, 0,	108,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	96,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50139,100, PC891,PROP, 0,	80,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	101,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50140,100, PC891,PROP, 0,	84,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	76,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50141,100, PC891,PROP, 0,	67,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	56,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50142,100, PC891,PROP, 0,	144,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	120,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50143,100, PC891,PROP, 0,	108,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	96,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50144,100, PC891,PROP, 0,	80,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	101,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50145,100, PC891,PROP, 0,	84,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	76,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50146,100, PC891,PROP, 0,	67,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50	56,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	50147,100, PC891,PROP, 0,	56,	UPRI GHT, MEDI UM, 41040,	1B
FONT.	:	28 31 38 48 1B 26 74 33 38 50			

--- Email Menu

EMAIL\_NOTIFICATION. : NO  
 REPLY\_ADDRESS. :  
 PAPER\_JAM\_ADDRESS. :  
 OUT\_OF\_PAPER\_ADDRESS. :  
 TONER\_LOW\_ADDRESS. :  
 NO\_TONER\_ADDRESS. :  
 PRINTER\_OFFLINE\_ADDRESS. :